

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

0300

Applicant: A. W. Cates et al.

Title: CHRONICALLY-IMPLANTED DEVICE FOR SENSING AND THERAPY

Docket No.: 279.384US1

Serial No.: 10/079,056

Filed: February 19, 2002

Due Date: November 9, 2002

Examiner: Scott M. Getzow

Group Art Unit: 3762

Attn: Box Missing Parts
Commissioner for Patents
Washington, D.C. 20231

We are transmitting herewith the attached:

- ☒ A return postcard.
- ☒ Communication Re: Corrected Application Papers (1 pg.)
- ☒ Notice to File Corrected Application Papers (1pg.)
- ☒ Formal Drawings (12 pgs.).

If not provided for in a separate paper filed herewith, please consider this a PETITION FOR EXTENSION OF TIME for sufficient number of months to enter these papers and please charge any additional required fees or credit overpayment to Deposit Account No. 19-0743.

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.
P.O. Box 2938, Minneapolis, MN 55402 (612-373-6900)

By: Marvin L. Beekman
Name: Marvin L. Beekman
Reg. No. 38,377
MLB:CMG:pms


CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Attn: Box Missing Parts, Commissioner for Patents, Washington, D.C. 20231, on this 7 day of November, 2002.

Paula Suchy
Name

Paula Suchy
Signature

S/N 10/079,056

PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Adam W. Cates et al. Examiner: Scott M. Getzow
Serial No.: 10/079,056 Group Art Unit: 3762
Filed: February 19, 2002 Docket: 279.384US1
Title: CHRONICALLY-IMPLANTED DEVICE FOR SENSING AND THERAPY

COMMUNICATION RE: CORRECTED APPLICATION PAPERS

Box Missing Parts
Commissioner for Patents
Washington, D.C. 20231

In response to the "Notice to File Corrected Application Papers" (see enclosed copy), enclosed are 12 pages of corrected drawings for the above-identified application.

Applicants assume the application is now in proper order and in condition for examination. Please direct any inquiries to the undersigned attorney at (612) 373-6960.

If necessary, please charge any additional fees or credit overpayment to Deposit Account No. 19-0743.

Respectfully submitted,

ADAM W. CATES ET AL.

By their Representatives,

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.
P.O. Box 2938
Minneapolis, MN 55402
(612) 373-6960

Date 11-6-02

By Marvin L. Beekman

Marvin L. Beekman
Reg. No. 38,377
MLB:CMG:pms

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Attn: Box Missing Parts, Commissioner for Patents, Washington, D.C. 20231, on this 7 day of November, 2002.

Paula Suchy
Name

Paula Suchy
Signature



COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/079,056	02/19/2002	Adam W. Cates	279.384US1

CONFIRMATION NO. 5121

21186
SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.
P.O. BOX 2938
MINNEAPOLIS, MN 55402

FORMALITIES LETTER



OC000000008747804

Date Mailed: 09/09/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

J. C. Lee

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE